

Forsknings- og faglitteratur om vedvarende utmattelse

Norske bøker og artikler

- Berge, T., Dehli, L. & Fjerstad, E. (2016, andre reviderte utgave). *Energityvene. Utmattelse i sykdom og hverdag*. Oslo: Aschehoug.
- Berge, T. & Fjerstad, E. (2015). Vedvarende utmattelse. I: T. Berge & A. Repål (red.), *Håndbok i kognitiv terapi* (2. reviderte utgave), s. 349–362. Oslo: Gyldendal Akademisk.
- Berge, T. & Fjerstad, E. (2016). *Lev godt med sykdom*. Oslo: Gyldendal Akademisk.
- Berge, T. & Fjerstad, E. (2017). Energityver og energigivere. Tiltak mot vedvarende utmattelse hos pasienter i allmennpraksis. *Utposten*, 46, 12–15.
- Berge, T., Fjerstad, E., Hyldmo, I. & Lang, N. (2019). *Håndbok i klinisk helsepsykologi. For deg som behandler somatisk sykdom og skade*. Bergen: Fagbokforlaget.
- Fjerstad, E. (2010). *Frisk og kronisk syk. Et psykologisk perspektiv på kronisk sykdom*. Oslo: Gyldendal Akademisk.
- Gjeldsvik, S. (2008). En vandring i ukjent landskap – uten kart og kompass. *Tidsskrift for Den norske legeforening*, 128, 726.
- Lilleaas, U.-B. & Widerberg, K. (2001). *Trøtthetens tid*. Oslo: Pax Forlag.

Engelskspråklige fagartikler

- Asano, M. & Finlayson, M. L. (2014). Meta-analysis of three different types of fatigue management interventions for people with multiple sclerosis: Exercise, education, and medication. *Multiple Sclerosis International*, 2014, 798285. doi:10.1155/2014/798285
- Astin, J. S., Beckner, W., Soeken, K., Hochberg, M. C. & Berman, B. (2002). Psychological Interventions for rheumatoid arthritis: A meta-analysis of randomised controlled trials. *Arthritis and Rheumatism*, 47, 291–302.
- Bastelaar, K. V., Cuijpers, P., Pouwer, F., Riper, H. & Snoek, F. J. (2011). Development and reach of a web-based cognitive behavioural therapy programme to reduce symptoms of depression and diabetes-specific distress. *Patient Education and Counseling*, 84, 49–55.
- Chen, Y.-W., Camp, P. G., Coxson, H. O., Road, J. D., Guenette, J. A., Hunt, M. A. & Reid, D. W. (2017). A comparison of pain, fatigue, dyspnea and their impact on quality of life in pulmonary rehabilitation participants with Chronic Obstructive Pulmonary Disease, COPD. *Journal of Chronic Obstructive Pulmonary Disease*, 15, 65–72.
- Cramp, F., Hewlett, S., Almeida, C., Kirwan, J. R., Choy, E. H. S., Chalder, T. et al. (2013). Non-pharmacological interventions for fatigue in rheumatoid arthritis (Review). *Cochrane Database Syst Rev*. 2013 Aug 23; 8:CD008322. doi:10.1002/14651858
- de Kleijn, W. P. E., Drent, M. & De Vries, J. (2013). Nature of fatigue moderates depressive symptoms and anxiety in sarcoidosis. *British Journal of Health Psychology*, 18, 439–452.

- Drent, M., Lower, E. E. & De Vries, J. (2012). Sarcoidosis-associated fatigue. *European Respiratory Journal*, *40*, 255–263.
- Druce, K. L., Bhattacharya, Y., Jones, G. T., Macfarlane, G. J. & Basu, N. (2016). Most patients who reach disease remission following anti-TNF therapy continue to report fatigue: Results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. *Rheumatology*, *55*, 1786–1790.
- Dures, E., Kitchen, K. & Almeida, C. (2012). “They didn’t tell us, the made us work it out ourselves”. Patient perspectives of a cognitive-behavioral program for rheumatoid arthritis fatigue. *Arthritis Care & Research*, *64*, 494–501.
- Evers, A. W. M., Kraaimaat, F. W., van Riel, P. L.C. M. & de Jong, A. J. L. (2002). Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: A randomized control trial. *Pain*, *100*, 141–153.
- Forwell, S. J., Brunham, S., Tremlett, H., Morrison, W. & Oger, J. (2008). Primary and nonprimary fatigue in multiple sclerosis. *International Journal of MS Care*, *10*, 14–20.
- Glader, E. L., Stegmayr, B. & Asplund, K. (2002). Poststroke fatigue: A 2-year follow-up study of stroke patients in Sweden. *Stroke*, *33*, 1327–1333.
- Goedendorp, M. M., Tack, C. J., Stegink, E., Bloot, L., Bazelmans, E. & Knoop, H. (2014). Chronic fatigue in type 1 diabetes: Highly prevalent but not explained by hyperglycemia or glucose variability. *Diabetes Care*, *37*, 73 –80.
- Grahari, S., Packer, T.L. & Passmore, A.E. (2009). Development, standardisation and pilot testing of an online fatigue self-management program. *Disability and Rehabilitation*, *31*, 1762–1772.
- Hewlett, S., Ambler, N., Almeida, C. et al. (2011). Self-management of fatigue in rheumatoid arthritis: A randomized controlled trial of group cognitive therapy. *Annals of the Rheumatic Diseases*, *70*, 1060–1067.
- Hewlett, S., Chalder, T., Choy, E. et al. (2011). Fatigue in rheumatoid arthritis: Time for a conceptual model. *Rheumatology*, *50*, 1004–1006.
- Hewlett, S., Cocshott, Z., Byron, M. et al. (2005). Patients perceptions of fatigue in rheumatoid arthritis: Overwhelming, uncontrollable, ignored. *Arthritis & Rheumatism*, *53*, 697–702.
- Hewlett, S., Knops, B. et al. (2010). Reducing the impact of rheumatoid arthritis fatigue: A randomized controlled trial of cognitive behavioral therapy, *Rheumatology*, *49*, 16.
- Jelsness-Jørgensen, L. P., Bernklev, T., Henriksen, M., Torp, R. & Moum, B. A. (2011). Chronic fatigue is associated with impaired health-related quality of life in inflammatory bowel disease. *Alimentary Pharmacology & Therapeutics*, *33*, 106–114.
- Jones, D. E. J., Gray, J. C. & Newton, J. (2009). Perceived fatigue is comparable between different disease groups. *The Quarterly Journal of Medical*, *102*, 617–624.

- Kangas, M., Bovbjerg, D. H. & Montgomery, G. H. (2008). Cancer-related fatigue: A systematic and meta-analytic review of non-pharmacological therapies for cancer patients. *Psychological Bulletin*, *34*, 700–741.
- Menting, J., Nikolaus, S., Wiborg, J-F., Bazelmans, E., Goedendorp, M. M., van Bon, A. C. et al. (2015). A web-based cognitive behaviour therapy for chronic fatigue in type 1 diabetes (Dia-Fit): Study protocol for a randomised controlled trial. *TRIALS*, *16*, [262]. doi:10.1186/s13063-015-0764-4
- Menting, J., Tack, C. J., Bleijenberg, G., Rogier, D., Fortuyn, D., Hal, A. et al. (2018). Is fatigue a disease-specific or generic symptom in chronic medical conditions? *Health Psychology*, *37*, 530–543.
- Menting, J., Tack, C. J., Donders, R. & Knoop, H. (2018). Potential mechanisms involved in the effect of cognitive behavioral therapy on fatigue severity in type 1 diabetes. *Journal of Consulting and Clinical Psychology*, *86*, 330–340.
- Menting, J., Tack, C. J., van Bon, A. C., Jansen, H. J., van den Berg, J. P., Mol, M. J. et al. (2017). Web-based cognitive behavioural therapy blended with face-to-face sessions for chronic fatigue in type 1 diabetes: A multicentre randomised controlled trial. *The Lancet Diabetes & Endocrinology*, *5*, 448–456.
- Morrison, J. D. & Stuijbergen, A. K. (2016). Predictors of fatigue impact in persons with longstanding multiple sclerosis. *Journal of Neuroscience Nursing*, *48*, 143–150.
- Nicassio, P. M., Ormseth, M. K., Custidio, M. R. et al. (2012). A multidimensional model of fatigue in patients with rheumatoid arthritis. *The Journal of Rheumatology*, *39*, 1807–1813.
- Norheim, K. B., Johnsson, G. & Omdal, R. (2011). Biological mechanisms of chronic fatigue. *Rheumatology*, *50*, 1009–1018.
- Olsen, C. L., Lie, E., Kvien, T. K. & Zangi, H. A. (2016). Predictors of fatigue in rheumatoid arthritis patients in remission or low disease activity. *Arthritis Care and Research*, *68*, 1043–1048.
- Overman, C. L., Kool, M. B., Da Silva, J. A. P. & Geenen, R. (2016). The prevalence of severe fatigue in rheumatic diseases: An international study. *Clinical Rheumatology*, *35*, 409–415.
- Radbruch, L., Strasser, F., Elsner, F. et al. (2008). Fatigue in palliative care patients – an EABC approach. *Palliative Medicine*, *22*, 13–32.
- Schjoedt, I., Sommer, I. & Bjerrum, M. B. (2016). Experiences and management of fatigue in everyday life among adult patients living with heart failure: A systematic review of qualitative evidence. *BI Database of Systematic Reviews and Implementation Reports*, *14*, 68–115.
- Sharpe, L., Allard, S. & Sensky, T. (2008). Five-year followup a cognitive-behavioral intervention for patients with recently diagnosed rheumatoid arthritis: Effects on health care utilization. *Arthritis and Rheumatism*, *59*, 311–316.
- Stebbing, S., Herbison, P., Doyle, T. C., Treharne, G. J. & Highton, J. (2010). A comparison of fatigue correlates in rheumatoid arthritis and osteoarthritis: Disparity in associations with disability, anxiety and sleep disturbance. *Rheumatology*, *49*, 361–367.

- Stebbins, S. & Treharne, G. J. (2010). Fatigue in rheumatic disease: An overview. *International Journal of Rheumatology*, 5, 487–502.
- van der Werf, S. P., van den Broek, H. L., Anten, H. W. M. & Bleijenberg, G. (2001). Experience of severe fatigue long after stroke and its relation to depressive symptoms and disease characteristics. *European Neurology*, 45, 28–33.
- van Kessel, K., Moss-Morris, R., Willoughby, E. et al. (2008). A randomized controlled trial of cognitive therapy for multiple sclerosis fatigue. *Psychosomatic Medicine*, 70, 205–213.
- van Steenbergen, H. W., Tsonaka, R., Huizinga, T. W. J., Boonen, A. & van der Helm-van Mil, A. H. M. (2015). Fatigue in rheumatoid arthritis; a persistent problem: A large longitudinal study. *Rheumatic & Musculoskeletal Diseases Open* 1:e000041. doi:10.1136/rmdopen-2014-000041
- Whitehead, L. (2009). The measurement of fatigue in chronic illness: A systematic review of unidimensional and multidimensional fatigue measures. *Journal of Pain and Symptom Management*, 37, 107–128.
- Wiborg, J. F. van Bussel, J., van Dijk, A., Bleijenberg, G. & Knoop, H. (2015). Randomised controlled trial of cognitive behaviour therapy delivered in groups of patients with chronic fatigue syndrome. *Psychotherapy and Psychosomatics*, 84, 368–376.
- Wijenberg, M. L., Stapert, S. Z., Köhler, S. & Bol, Y. (2016). Explaining fatigue in multiple sclerosis: Cross-validation of a biopsychosocial model. *Journal of Behavioral Medicine*, 39, 815–822.
- Williams, B. A. (2017). The clinical epidemiology of fatigue in newly diagnosed heart failure. *BMC Cardiovascular disorders*, 17, 122. doi:10.1186/s12872-017-0555-9
- Zangi, H. A., Hauge, M. I., Steen, E., Finset, A. & Hagen, K. B. (2011). «I am not only a disease, I am so much more». Patients with rheumatic diseases' experiences of an emotion-focused group intervention. *Patient Education and Counseling*, 85, 419–424.
- Zangi, H., Mowinckel, P. & Finset A. (2002). A mindfulness-based group intervention to reduce psychological distress and fatigue in patients with inflammatory rheumatic joint diseases: A randomised controlled trial. *Annals of the Rheumatic Diseases*, 71, 911–917.